



The COMPANY

Dormak Interio Pvt. Ltd, situated at Jaipur, is a dynamic Company that provides world class designer doors at International Standards and is committed to long-term sustainable growth and customer satisfaction. Dormak is a flagship Company of GKR group and associated with Craft Master International, USA, which is world's leading manufacturer of door components.

Being an ISO: 9001:2008 certified organization, company insists on honesty, integrity and fairness in all aspects of its business. This has earned it the trust and respect of every strata of society that it comes in contact with. The Company continuously focuses its efforts to better understand the consumer needs in order to provide customer delight through its product offerings.

Dormak also carry the responsibility to serve the environment and to fulfill this company uses eco-friendly materials to manufacture its doors and ensures 50% less uses of wood than conventional doors.

Content

Revolutionizing the manufacturing of International Quality Doors	●	0-3
Emperia Doors	●	4-7
Membrane Premium Doors	●	8-9
Membrane Designer Doors	●	10-15
Glass Doors	●	16-17
Veneer Doors	●	18-21
Premium Coated Doors	●	22-27
Designer Laminated Doors	●	28-31
HDF Moulded Doors	●	32-35
Moulded Veneer Doors	●	36-37

Revolutionizing the manufacturing of INTERNATIONAL QUALITY DOORS.

DORMAK Insight:

- Latest German machines used for manufacturing and processing.
- Manufacturing Plant spread on 12000 square meter area.
- Widest portfolio in door category.
- Catering all segments of door.
- Pan India presence in door sector.
- State of the art R & D department which strives to provide new designs with environment and user friendly outlook.
- Dormak doors are known as GREEN doors. Doors are approved for all green projects.
- Awarded by Rastriya Udog Ratna Award.

Stronger yet gentle on environment:

- DORMAK eco friendly doors are manufactured with the byproduct wood and recyclable materials like sawmill chips, field chips etc.
- Tubular hollow core is used to fill the door, which is known for high load bearing strength and manufactured with wood dust and chips.
- Manufactured with the internationally acclaimed environment safe power resin for low formaldehyde emission.
- Dormak doors resin complies the E1 standards.
- Free from shrinking, swelling, creaking and delimitation from joint.
- Engineered wood fiber moulded under intense heat and pressure to create 3.2 mm thick sheet of high density fiber board.
- DORMAK doors are long lasting with low maintenance.
- Tested for water resistance, adhesion and overall durability to ensure product quality.



Emperia DOORS

1st Time
in INDIA




Ambrosia

Made with elevated look with fine texture grooving.


- Tubular filler from Sauerland
- Solid door filler from renowned green product companies.
- E1 grade glue used
- **Door Options:** Flush Door/ HDF Panel
- **Core Option:** Single/ Double
- **Foil:** Genuine Korean Foil
- **Size:** Customized
- **Filler:** Tubular Board/ Solid Board/ Wood Battens
- **Thickness:** 30, 32, 35, 40 mm




Emperia Doors



Alisha




Costa




Delight



Ethos



Eterno



Gernium

The most advanced panel door construction with Rich engraving, elevated panel and moulding. Emperia Series offer superior looks in your interior.

Reflex




Emperia DOORS

- Pine frame with pine filler used
- 3.2mm Gurjan core both side
- Both side laminated with Korean foil.
- Thickness: 32, 37 mm



Holly Hock




Lunar




Maria




Orchid




Rockwell



Salvia



Temptation



Vinco

Horizontal Wenge Leather



Membrane PREMIUM Doors


Premium doors are exclusive range with elevated look and fine grooving. Membrane doors are laminated with imported PVC foil and pressed in vacuum pressure machine, which insures the better bonding and long life of door. Doors are treated against termite and borer with latest chemical to ensure its protection against microorganism attack. Dormak membrane doors do not require polishing and these are maintenance free doors.

Made with elevated look with fine texture grooving.


- **Door Options:** Flush Door/ HDF Panel
- **Core Option:** Single/ Double
- **Foil:** Genuine Korean Foil
- **Size:** Customized
- **Filler:** Tubular Board/ Solid Board/ Wood Battens
- **Thickness:** 30, 32, 35, 40 mm




Membrane Premium Doors




Antolia




Amayra



Ankara



Lorenza



Elenza




Essenza



Sagarika

*Any design can be create in available colours of foil. * Customised size available



 Arman


Membrane DESIGNER Doors



Membrane Designer Doors



Stylo



Cruze



Odessa




Solace

Dormak membrane designer doors provide plenty of options for beautiful designs in doors. Designs are available in multiple finishes like rosewood, natural teak, walnut, metallic wood, American cherry. These are manufactured with PF resin and imported pinewood and imported board that provide unmatched finishing. These doors are treated with anti termite chemical and do not require polishing.


















Sara


Membrane DESIGNER Doors



FINISHES AVAILABLE

				
Rosewood	Natural Teak	Red Oak		
				
Metalic Wood	American Cherry	Antique Teak		
				
Walnut	Wenge	New Walnut		


			
Stenza	Apollo	Flower	Brick

 Tornado




Membrane DESIGNER Doors


- **Door Options:** Flush Door/ HDF Panel
- **Filler:** Tubular Board/ Solid Board/ Wood Battens
- **Core Option:** Single/ Double
- **Foil:** Genuine Korean Foil
- **Thickness:** 30, 32, 35, 40 mm
- **Size:** Customized



Trendy



Misty




Entice




Simpolo



Milano



Allora



Opal



Mirror


*Any design can be create in available colours of foil. * Customised size available

GLASS Doors




GD-5105

GLASS Doors



GD-5103



GD-5101



GD-5108



GD-5109

PVC coated MDF doors with glass cutout and rich engraved design.




DK 207


VENEER Doors




Veneer Doors



DK 211




DK 212 Recon Wenge




DK 201



DK 206



DK 215
White Ash (Texture)




DK 216
White Ash (Texture)


If you are looking to give your door an exquisite look, then Dormak veneer doors are the perfect solution. Dormak veneer door made from wide range of natural and recon decorative veneers sourced from across the country. Dormak veneer doors are made with India's best hydraulic press in the supervision of qualified personals. ISI grade resin and thicker veneer is used for long life of door. Each doors are tested for water resistance shock absorption test so that you can enjoy its quality for years.

VENEER Doors


- **Door Options:** Flush Door
- **Door Filler Options:** Tubular particle / Solid particle / Solid wood filling
- **Veneer Options:** Thick recon and natural veneer as per design
- Thickness 30, 35, 40 mm
- E1 grade glue used




DK 217




DK 218 Recon Teak




DK 219




DK 220 Natural Wenge



DK 221 Flower Wenge



DK 222



DK 223 Smoke Oak



DK 224


*Customised sizes available.

Premium COATED Doors




 PC 805

Premium Coated Doors



PC 808



PC 801



PC 802





PC 803

Dormak Premium Coated Doors are resin coated door with Gloss, Matt and Texture Finish which are lead free and suitably processed for doors. Premium coated door provide desired aesthetics and durable protective finish to the doors. Premium Coated Doors are popular with architects and applicators for excellent adhesion, non- yellowing, scratch resistance, excellent color retention, heat resistance and moisture resistance.



PC 818


Premium COATED Doors



PC 804



PC 806




PC 807



PC 811




PC 812



PC 814



PC 815



PC 816

PC 822




Premium COATED Doors




TECHNICAL SPECIFICATIONS:

100% resin coated doors of natural finishes with gloss, matt and texture finish

- E1 grade glue used
- **Door Options:** Flush Door
- **Door Filler Options:** Tubular particle / Solid particle / Solid wood filling
- **Coat:** Standard Rasin
- **Finish:** Glass / Matt / Texture
- Thickness 32, 35, 40 mm




PC 819



PC 820



PC 821



PC 817



PC 823

*Customised sizes available.



DL 514

Designer LAMINATED Doors


Dormak Laminated Designer Doors are specified where absolute face aesthetic uniformity is desired. These doors are laminated with high-pressure laminate sheet of 1mm. The base door is manufactured by seasoned battens and frames with waterproof PF resin. Tubular core is also used to fill the doors. Laminate doors are available in broad range of design options, using high quality laminate sheet for zero maintenance and long life.



Designer Laminated Doors



DL 512




DL 515




DL 516



DL 518



DL 519



DL 520



DL 525



DL 526


Designer LAMINATED Doors




 DL 522




DL 527




DL 521



DL 523




DL 524



DL 513




DL 511




DL 506



DL 501



DL 504



DL 505

TECHNICAL SPECIFICATIONS:

- Tubular filler from Soreland
- Solid door filler from renowned green product companies.
- **Door Options:** Flush Door
- **Door Filler Options:** Tubular particle / Solid particle / Solid wood filling
- **Laminate:** 1 mm HPL
- **Laminate Glue:** D3
- **Flushdoor Glue:** PF
- **Thickness** 32, 35, 37 mm

*Customised design and sizes available. *1 mm HPL pasted both side




Tulip (DK 16S)

HDF MOULDED Doors

HDF Moulded Panel doors exhibit a natural wood grain texture almost replicating real solid wood and are prefinished. Our range of moulded doors consists of different panel configuration for beauty as well as durability. We are associated with Craft Master International USA for HDF Moulded doors and have the largest range of 11 beautiful designs in Moulded doors. HDF doors are bonded with Phenol Formaldehyde Synthetic Resin and available in texture and smooth finish with various thickness widths and heights.



HDF Moulded Doors



Classic (DK 2PT)



Torque (DK 17T)



Mirror Oval (DK 21S) Texture



Optima (DK 12T)

PRODUCT DIMENSIONS

	24	26	28	30	32	34	36	38	40	42
2 Panel Classic	✓	✓	✓	✓	✓	✓	✓	✓	✓	41.5
4 Panel Forever	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6 Panel Stenza	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Optima (T) DK 12T	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Trident (T) DK 15T	✓	✓	✓	✓	✓	✓	✓	✓	✓	41"
Tulip (S) DK 16S	✓	✓	✓	✓	✓	✓	✓	37"		
Torque (T) Dk 17T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Elegance DK 18T	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rising Sun (TI) DK 2PMT	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mirror Oval White	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mirror Oval Teak/ Walnut	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2 Panel Teak	✓	✓	✓	✓	✓	✓	✓	✓	✓	

 Rising Sun (DK 2PMT)



HDF MOULDED Doors

TECHNICAL SPECIFICATIONS:

- Door skins from craft master.
- Tubular filler from Souerland.
- Solid door filler from renowned green product companies.
- E1 grade glue used
- Klin Dried and treated pine wood from sustainable plantation certified forests.
- Thickness 32, 35 mm



Palio (DK 25T)

MOULDED DOOR SKIN TECHNICAL PROPERTIES


	ITEM	UNIT	STANDARD
PHYSICAL PERFORMANCE	Moisture Content	%	5-8
	Tensile Strength	mPA	>=40
	Density	g/ cm3	0.95~1.1
	Density Tolerance	%	<= +/-5
	Surface Bond Strength	Mpa	>=0.25
	Thickness Swell (%)	%	<=25
	Surface Tensile Strength	Mpa	>=1.2
THICKNESS	Free Formaldehyde Release	mg/ 100g	<=9.0 (E1)
	Thickness	mm	3.2
	Thickness Tolerance	mm	<= +/-0.2
DIMENSIONAL TOLERANCE	Length and Width Tolerance	mm	+ 1.0
	Diagonal Measurement Deviation (maximum)	mm	< 4
	Edge Straightness	mm/ 1000 mm	< 1
	Stile and Rail Width Tolerance	mm	< 3
PRIMER	Primer Thickness	mm	0.051+0.01



Trident (DK 15T)



Stenza (DK 6PT)



Forever (DK 4PT)



Elegance (DK 18T)

* Stenza design are also available in 8 ft. size. * Doors are also available in white primer coated finish.

■ Moulded Veneer Doors



Moulded VENEER Doors



Moulded Veneer Doors



Classic Teak



Mirror Oval Teak



Rising Sun Teak



Mirror Oval Walnut

Dormak moulded veneer doors are perfect combination of beauty and strength. These doors are best alternative to solid panel doors and manufactured by using HDF core, which resist shrinking, swelling, and warping. Moulded veneer doors are 100% waterproof and tested in highly sophisticated lab for any manufacturing defects. These doors are able to withstand in any climatic conditions and require very low maintenance.

